

**SCHEDULE K**  
**SPECIFICATIONS – SEATING**

Camosun does not have the space or personnel to provide assembly of any furniture. All furniture must be shipped fully assembled or assembled by the proponents agent on site.

Provide a unit crated price to each item described as Crated below.

**GENERAL SPEC FOR ALL OFFICE TASK CHAIRS**

**MULTI TILT  
FUNCTIONALITY**

All task chairs must have complete multi-tilt functionality

**SEAT HEIGHT  
ADJUSTMENTS**

Lift type to be Pneumatic, with ability to be replaced in the field.  
Seat should have “shock absorber” to minimize impact when user sits down.

The seat height shall be easily adjusted from a seated position.

**SEAT EDGE**

Front seat edge to be rounded “waterfall” design.

**BASE**

Base to be steel, die cast aluminum or equal.

The base shall be durable and scuff resistant.

Die cast aluminum bases shall have a smooth, even epoxy finish with no rough or sharp edges.

All finishes to co-ordinate with exposed shell colours.

Base shall be a minimum of 5 prong with an approximate diameter of 24".

**SWIVEL  
MECHANISM**

Bearing mechanism shall operate full 360° smoothly.

Mechanism shall be complete with a hub liner which securely fastens to the hub.

Bearing mechanism shall have a minimum tolerance where the hub and column engage.

**CASTERS**

Casters shall be nylon 2" diameter double wheel type suitable for carpet, unless otherwise specified.

FACILITIES REFERENCE CODE	DESCRIPTION	Vendor ID Code
G-0	BIG TASK CHAIR – HIGH BACK C/W ARMS	
G-1a	TASK CHAIR – HIGH BACK NO ARMS	
G-1b	TASK CHAIR – HIGH BACK – MULTI TILT – C/W T ARMS	
G-2a	TASK CHAIR – MID BACK NO ARMS	
G-2b	TASK CHAIR – MID BACK – MULTI TILT – C/W T ARMS	
G-3	STENO POSTURE STOOL – NO ARMS	
G-4	STACKING GUEST CHAIR – C/W ARMS	
G-4a	STACKING GUEST CHAIR – NO ARMS	
G-5	LOW METAL BENCH STOOL C/W UPHOLSTERED PAD	
G-6	STACKING CLASSROOM CHAIR	
G-7	MEETING ROOM CHAIR – SWIVEL TILT – MID BACK	
G-8	MEETING ROOM CHAIR – HAMMOCK STYLE	



<b>CODE NO:</b>	G-0
<b>ITEM:</b>	BIG TASK CHAIR – HIGH BACK C/W T ARMS
<b>DESCRIPTION:</b>	Rated to support up to 500 lbs. Ergonomic task chair with adjustable height / angle back, armrests and larger seat pan to meet CSA standards
<b>FINISH</b>	<ul style="list-style-type: none"><li>• Fabric is to be applied free of distortion, of a quality that will not stretch, sag, or pill.</li><li>• Adjustable armrest to be Polyurethane</li><li>• Frame &amp; Shell: To be selected from manufacturers standard</li></ul>
<b>FABRIC – NO SUBSTITUTE:</b>	STACCATO – 100% Cordura Nylon Abrasion Resistance – warp: 1,900,000 double rubs
<b>WARRANTY</b>	Minimum - 10 year warranty.
<b>EQUIVALENT TO:</b>	CHIROFORM 24/7 OR ERGO 3000 SAFFRON SERIES



<b>CODE NO:</b>	G-1a
<b>ITEM:</b>	TASK CHAIR – HIGH BACK - NO ARMS
<b>DESCRIPTION:</b>	Ergonomic task chair with adjustable height / angle back and armrests, to meet CSA standards
<b>FINISH</b>	<ul style="list-style-type: none"><li>• Fabric is to be applied free of distortion, of a quality that will not stretch, sag, or pill.</li><li>• Adjustable armrest to be Polyurethane</li><li>• Frame &amp; Shell: To be selected from manufacturers standard</li></ul>
<b>FABRIC – NO SUBSTITUTE:</b>	STACCATO – 100% Cordura Nylon Abrasion Resistance – warp: 1,900,000 double rubs
<b>WARRANTY</b>	Minimum - 10 year warranty.
<b>EQUIVALENT TO:</b>	Ergo 2000 Series



<b>CODE NO:</b>	G-1b
<b>ITEM:</b>	TASK CHAIR – HIGH BACK - MULTI TILT - C/W T ARMS
<b>DESCRIPTION:</b>	Ergonomic task chair with adjustable height / angle back and armrests, to meet CSA standards
<b>FINISH</b>	<ul style="list-style-type: none"><li>• Fabric is to be applied free of distortion, of a quality that will not stretch, sag, or pill.</li><li>• Adjustable armrest to be Polyurethane</li><li>• Frame &amp; Shell: To be selected from manufacturers standard</li></ul>
<b>FABRIC – NO SUBSTITUTE:</b>	STACCATO – 100% Cordura Nylon Abrasion Resistance – warp: 1,900,000 double rubs
<b>WARRANTY</b>	Minimum - 10 year warranty.
<b>EQUIVALENT TO:</b>	Ergo 2000 ALA, MT Series



<b>CODE NO:</b>	G-2a
<b>ITEM:</b>	TASK CHAIR – MID BACK - NO ARMS
<b>DESCRIPTION:</b>	Ergonomic task chair with adjustable height / angle back, to meet CSA standards
<b>FINISH</b>	<ul style="list-style-type: none"><li>• Fabric is to be applied free of distortion, of a quality that will not stretch, sag, or pill.</li><li>• Adjustable armrest to be Polyurethane</li><li>• Frame &amp; Shell: To be selected from manufacturers standard</li></ul>
<b>FABRIC – NO SUBSTITUTE:</b>	STACCATO – 100% Cordura Nylon Abrasion Resistance – warp: 1,900,000 double rubs
<b>WARRANTY</b>	Minimum - 10 year warranty.
<b>EQUIVALENT TO:</b>	Ergo 1000 Series



<b>CODE NO:</b>	G-2b
<b>ITEM:</b>	TASK CHAIR – MID BACK - MULTI TILT - C/W T ARMS
<b>DESCRIPTION:</b>	Ergonomic task chair with adjustable height / angle back and armrests, to meet CSA standards
<b>FINISH</b>	<ul style="list-style-type: none"><li>• Fabric is to be applied free of distortion, of a quality that will not stretch, sag, or pill.</li><li>• Adjustable armrest to be Polyurethane</li><li>• Frame &amp; Shell: To be selected from manufacturers standard</li></ul>
<b>FABRIC – NO SUBSTITUTE:</b>	STACCATO – 100% Cordura Nylon Abrasion Resistance – warp: 1,900,000 double rubs
<b>WARRANTY</b>	Minimum - 10 year warranty.
<b>EQUIVALENT TO:</b>	Ergo 1000 ALA, MT Series



<b>CODE NO:</b>	G-3
<b>ITEM:</b>	STENO POSTURE STOOL, NO ARMS
<b>DESCRIPTION:</b>	Steno stool with adjustable height / angle back and adjustable foot ring, to meet CSA standards
<b>FINISH</b>	<ul style="list-style-type: none"><li>• Fabric is to be applied free of distortion, of a quality that will not stretch, sag, or pill.</li><li>• Adjustable armrest to be Polyurethane</li><li>• Frame &amp; Shell: To be selected from manufacturers standard</li><li>• Seat Range – 20.25” to 27.75”</li></ul>
<b>FABRIC – NO SUBSTITUTE:</b>	STACCATO – 100% Cordura Nylon Abrasion Resistance – warp: 1,900,000 double rubs
<b>WARRANTY</b>	Minimum - 10 year warranty.
<b>EQUIVALENT TO:</b>	Ergo 1000 FR 200 UC



<b>CODE NO:</b>	G-4
<b>ITEM:</b>	STACKING GUEST CHAIR - C/W ARMS
<b>DIMENSIONS:</b>	24"W x 24"D x 36"H approx.
<b>DESCRIPTION:</b>	Upholstered chair to be used as office guest chairs. Chair to be provided with arms. Maximum width (including arms) not to exceed 24". Seat height to be within 17"-19". Base style for use on carpeted and vinyl floor surfaces is required. To meet CSA standards
<b>FINISH &amp; FRAME:</b>	<ul style="list-style-type: none"><li>• Fabric is to be applied free of distortion, of a quality that will not stretch, sag, or pill.</li><li>• Frame &amp; Shell: Round metal tube painted frame To be selected from manufacturers standard</li><li>• Feet to be fitted with "caps" rather than inserts into leg openings</li></ul>
<b>FABRIC – NO SUBSTITUTE:</b>	STACCATO – 100% Cordura Nylon Abrasion Resistance – warp: 1,900,000 double rubs
<b>ARMREST:</b>	Armrest is to be of a non-cloth covered style.
<b>SEAT AND BACKREST:</b>	Seat and back to be fully upholstered with some use of padding.
<b>EQUIVALENT TO:</b>	Ergo Emerson Stacker



**CODE NO:** G-4a

**ITEM:** STACKING GUEST CHAIR - NO ARMS

**DIMENSIONS:** 24"W x 24"D x 36"H

**DESCRIPTION:** Upholstered chair to be used as office guest chairs. Maximum width not to exceed 24". Seat height to be within 17"-19". Base for use on carpeted and vinyl floor surfaces is required. To meet CSA standards.

**FINISH & FRAME:**

- Fabric is to be applied free of distortion, of a quality that will not stretch, sag, or pill.
- Frame & Shell: Round metal tube painted frame To be selected from manufacturers standard
- Feet to be fitted with "caps" rather than inserts into leg openings

**FABRIC – NO SUBSTITUTE:** STACCATO – 100% Cordura Nylon  
Abrasion Resistance – warp: 1,900,000 double rubs

**SEAT AND BACKREST:** Seat and back to be fully upholstered with some use of padding.

**EQUIVALENT TO:** Ergo Emerson Stacker



**CODE NO:** G-5

**ITEM:** LOW METAL BENCH STOOL C/W UPHOLSTERED PAD

**DIMENSIONS:** 16w x 16d x 27 1/2h approx.

**DESCRIPTION:**

- Heavy duty bench stool with "non slip" glides
- Black Polyurethane seat pan.
- Chrome frame and foot rings

**FRAME:** Metal construction

**FINISHES:** Frame: To be selected from manufacturers standards

**NO SUBSTITUTE:** Global Wipe Down 9625-64



**CODE NO:** G-6

**ITEM:** STACKING CLASSROOM CHAIR

**DIMENSIONS:** Adult 18" seat height

**DESCRIPTION:** Poly chair with a contoured one piece seat and back with reinforcing for strength.  
No bolts in seat pan or back, all connections to frame are to be done from below.  
Tubular steel frame w/ chrome finish.  
Glides to protect floors.  
Seats and backs are field replaceable.

**FINISHES:** Frame & Shell: To be selected from manufacturers standards

**EQUIVALENT TO:** Virco 7500 Series or Zuma



**CODE NO:** G-7

**ITEM:** MEETING ROOM CHAIR – SWIVEL TILT - MID BACK

**DESCRIPTION:**

- Swivel-tilt mechanism, pneumatic height adjustment, tension control.
- Molded seat and back shell with built-in lumbar support, or equivalent.
- Waterfall seat design to reduce muscle fatigue.
- High resiliency, high density foam for comfort and durability.
- Polyurethane armrests.
- Fully upholstered seat and back.
- 5 prong heavy duty nylon base.
- 2” dual wheel carpet casters.
- To meet CSA standards

**FABRIC:** Quotations are to be based on manufacturer’s Grade 3 fabric. Fabric is to be applied free of distortion, of a quality that will not stretch, sag, or pill. Fabric must pass BIFMA fire retardant standards.

**FINISHES:** Frame & Shell: To be selected from manufacturers standard

**WARRANTY** Minimum - 10 year warranty.

**EQUIVALENT TO:** Nightingale 5300 series



<b>CODE NO:</b>	G-8
<b>ITEM:</b>	MEETING ROOM CHAIR – HAMMOCK STYLE
<b>DESCRIPTION:</b>	Meeting room armchair with pneumatic adjustable height, swivel mechanism. To meet CSA standards.
<b>FABRIC</b>	Quotations are to be based on manufacturer's Grade 3 fabric. Fabric is to be applied free of distortion, of a quality that will not stretch, sag, or pill. Fabric must pass BIFMA fire retardant standards.
<b>WARRANTY</b>	Minimum - 10 year warranty.
<b>FINISHES:</b>	Frame & Shell: To be selected from manufacturers standards
<b>EQUIVALENT TO:</b>	Steelcase: Uno